








52 x 17 BRIDGE - CONCRETE





48'0"



- GENERAL NOTES:
- CONCRETE BLOCKS 2X2X6
  - 6" DEEP CRUSHED GRAVEL FOOTING



<b>WILCON</b> Inc. 4423 143rd PL SW, LYNNWOOD, WA 98087 ph (425) 610-7774 fax (425) 741-5555	WEIGHT: 71995.39 LBS	DIM UNITS INCHES TOL GROUP COARSE X. ± 0.250 X.X ± 0.125 X.XX ± 0.060 X.XXX ± 0.015 X° ± 5 1/X ± 1/8	DIMENSION UNITS UNLESS OTHERWISE NOTED 500/  THIRD ANGLE PROJECTION BREAK ALL EDGES .005-.035 MAX FILLET RADIUS 0.035
BRIDGES		USED ON DWG: -	
52 x 17 Bridge - Concrete		MODEL FILENAME: 52X17CONCRETE MODEL REV: A DWG FILENAME: 52X17CONCRETE	
		DRAFTER: NPW CHECKER: NPW SCALE: 1:90 SHEET: 8 OF 3	
		DRAWING NO. 52X17CONCRETE	
		REVISION LET CHECK IN # A	
		MFG IGNORE CHECK IN #	

ITEM NO.	Description	QTY.	Weight
1	2X2X6 CONCRETE BLOCK	16	3599.77
2	2X2X4 CONCRETE BLOCK	6	2399.85






<b>WILCON</b> Inc. 4423 143rd PL SW, LYNNWOOD, WA 98087 ph (425) 610-7774 fax (425) 741-5555	WEIGHT: 71995.39 LBS	DIM. UNITS INCHES TOL GROUP COARSE		DIMENSION UNITS UNLESS OTHERWISE NOTED	
		X. ± 0.250 X.X ± 0.125 X.XX ± 0.060 X.XXX ± 0.015 X°±5 1/X ±1/8	500 THIRD ANGLE PROJECTION BREAK ALL EDGES .005-.035 MAX FILLET RADIUS 0.035		
ALL INFORMATION CONTAINED IN THIS DRAWING IS PROPRIETARY TO, AND SHALL BE USED OR DISTRIBUTED ONLY WITH THE WRITTEN PERMISSION OF, WILCON INC. PRINTED COPIES OF THIS DOCUMENT ARE FOR REFERENCE ONLY.		USED ON DWG: -			
BRIDGES		MODEL FILENAME 52X17CONCRETE		MODEL REV A	
52 x 17 Bridge - Concrete		DRAFTER NPW		SCALE 1:70	
DRAWING NO. 52X17CONCRETE		SHEET NPW		SHEET 8	
		REVISION LET CHECK IN #		A	

TOP LAYER



BOTTOM LAYER



<b>WILCON</b> Inc. 4423 143rd PL SW, LYNNWOOD, WA 98087 ph (425) 610-7774 fax (425) 741-5555	WEIGHT: 71995.39 NOT SET	DIM UNITS NOT SET		TOL GROUP NOT SET		DIMENSION UNITS UNLESS OTHERWISE NOTED		XX/-  THIRD ANGLE PROJECTION	
		X. ± 0.001 X.X ± 0.001 X.XX ± 0.001 X.XXX ± 0.001 X° ± 2 X.XXXX ± 0.0001 X/X ± 1/8		BREAK ALL EDGES .005-.035 MAX FILLET RADIUS 1/32					
ALL INFORMATION CONTAINED IN THIS DRAWING IS PROPRIETARY TO, AND SHALL BE USED OR DISTRIBUTED ONLY WITH THE WRITTEN PERMISSION OF, WILCON INC. PRINTED COPIES OF THIS DOCUMENT ARE FOR REFERENCE ONLY.		USED ON DWG: -		MODEL FILENAME 52X17CONCRETE		MODEL REV A		DWG FILENAME 52X17CONCRETE	
BRIDGES		DRAFTER NPW		DRAWN NPW		SCALE 1:90		SHEET 8	
DRAWING NO. 52X17CONCRETE		REVISION LET CHECK IN #		MFG IGNORE CHECK IN #		A		SHEET 3 OF 3	