


## New York Ground Snow Load Report




## Site Data and Search Results

Latitude: 42.6950 Longitude: -73.6681 Elevation: 363.6 ft

Geolocation: 4 Crestwood Ln, Troy, NY 12180, USA

Zone: 40 psf

 $(363.6 \text{ ft.} \le 1000 \text{ ft.})$  $P_g = P_o = 40 \text{ psf}$ 



\*\*When using Figure 1608.2 for sites at elevations above 1,000 feet (304 m), the ground snow load shall be increased from the mapped value by 2 psf (0.095 kN/m2) for every 100 feet (30.48 m) above 1,000 feet (304 m). Site-specific case studies may be made in lieu of snow loads in Figure 1608.2 or ASCE 7-16.

\*Disclaimer: While the information presented in this report is believed to be correct, Medeek Engineering assumes no responsibility or liability for its accuracy. The material presented in this ground snow load report should not be used or relied upon for any specific application without competent examination and verification of its accuracy, suitability and applicability by engineers or other licensed professionals. Medeek Engineering does not intend that the use of this information replace the sound judgment of such competent professionals, and applying the results of this ground snow load report. Users of the information from this report assume all liability arising from such use. Use of the information from this report does not imply approval by the governing building code bodies responsible for building code approval and interpretation for the building site(s) described by latitude/longitude location in this ground snow load report.

Subject Ground Snow Load	MIKE ADAMS	4 CRESTWOOD LANE TROY NY	Job No. 2025B6
N. Wilkerson	MEDEEK ENGINEERING INC.  This report may not be copied, reproduced or distributed without the written consent of Medeek Engineering Inc.		Rev
Date 1/28/2025	3050 State Route 109 Copa ph. (425) 652-4188 www.r	alis Beach, WA 98535 medeek.com Copyright © 2025	Page 1

